


TOPAKUSTIK® type 6/2 M - data sheet


TOPAKUSTIK® type 6/2 - with flat effect

The groove is less „visible“, as the light/ shadow effects seem to be in regular intervals and therefore create a flat effect.






Planks


Thanks to the precise tongue and groove connection, planks result in an attractive surface with a joint-free appearance, because the connecting joint matches the dimension of the grooves. The planks permit simple and flexible assembly. They can be installed by stapling to a timber batten or clamping to a T-bar with TOPAKUSTIK clips.



Fire Category B2 (CH 4.3)/D-s2, d0			Fire Category B1 (CH 5.3)/B-s2, d0			Fire Category A2 (CH 6q.3)		
Paint 16 mm 	Wood Veneer 17 mm 	Melamine 16 mm 	Paint 16 mm 	Wood Veneer 17 mm 	Melamine 16 mm 	Paint 16 mm 	Wood Veneer 17 mm 	
Standard								
2780 x 128	2780 x 128	2780 x 128	2780 x 128	2780 x 128	2780 x 128			
3640 x 128	3640 x 128			3640 x 128				
4080 x 128		4080 x 128	4080 x 128		4080 x 128			
custom lengths are also available								


symbols

-  Paint
-  Wood veneer
-  Melamine




Panels

Panels are used for removable or fixed ceilings and walls with visible joints. Panels can be provided with a number of different edges and are also suited for cabinet fronts and room dividers.


Fire Category B2 (CH 4.3)/D-s2, d0			Fire Category B1 (CH 5.3)/B-s2, d0			Fire Category A2 (CH 6q.3)		
Paint 16 mm 	Wood Veneer 17 mm 	Melamine 16 mm 	Paint 16 mm 	Wood Veneer 17 mm 	Melamine 16 mm 	Paint 16 mm 	Wood Veneer 17 mm 	
max.								
3640 x 1216	3640 x 1216	3640 x 1216	3640 x 1216	3640 x 1216	3640 x 1216			
ideal = means optimal use of MDF core - custom lengths are also available								
2040 x 992 / 640	2040 x 992 / 640	2040 x 992	2040 x 992	2040 x 992	2040 x 992			
2780 x 992 / 640	2780 x 992 / 640	2780 x 992	2780 x 992	2780 x 992	2780 x 992			
3640 x 640	3640 x 640			3640 x 640				

sound absorption values

6/2 M-7%



6/2 T



Graphics: Sound absorption in suspension on height 215 mm and 55 mm.

